

**AMENDMENTS TO THE CLAIMS**

1. (Currently Amended) An image scanning and processing system, comprising:

a scanner configured to generate a stream of data encoding a scanned image;

a controller configured to control and process data received from the scanner; and

a file storage device configured to store a master file including data from the stream of data,

wherein the controller ~~is configured to create~~creates a preview image with a lower data size than the scanned image from at least part of the data encoding the scanned image,

wherein the controller ~~is further configured to extract~~extracts data encoding the preview image ~~directly from the stream of data~~ on the fly, and ~~to write~~writes the extracted data to a thumbnail file ~~in order to create, thereby creating~~ the preview image.

2. (Previously Presented) The system according to claim 1, further comprising:

a display unit configured to display at least a portion of the preview image and to display a detailed view of a section of the displayed preview image according to a user's selection of the section.

3. (Previously Presented) The system according to claim 2, wherein the display unit is configured to provide a selection frame with which the user makes the user's selection of the section, the selection frame being resizable and movable.

4. (Previously Presented) The system according to claim 2, wherein the controller is configured to convert the selected section of the preview image to a different data format before being displayed.

5. (Previously Presented) The system according to claim 1, wherein the scanner or the controller is configured to check the scanned image for artifacts, and to store information specifying the detected artifacts with the preview image in the file storage device.

6. (Currently Amended) A method of scanning and processing an image, comprising:  
scanning an original and thereby generating a stream of data;  
encoding a scanned image;  
saving the scanned image in a master file; and  
creating a preview image with a lower data size than the scanned image from at least part of the data encoding the scanned image,

wherein data encoding the preview image is extracted ~~directly~~ from the stream of data on the fly, and is written to a thumbnail file in order to create, thereby creating the preview image.

7. (Original) The method according to claim 6, wherein the preview image is a lower resolution rendition of at least part of the scanned image.

8. (Original) The method according to claim 6, wherein at least part of the preview image is displayed to an operator as a survey view in a window on a display.

9. (Original) The method according to claim 8, wherein the part of the preview image is displayed before or during the saving to the thumbnail file.

10. (Original) The method according to claim 6, wherein part of the scanned image representing a region of interest is displayed to an operator as a detailed view of the region of interest in a window on a display.

11. (Original) The method according to claim 8, further comprising:  
providing a selection frame in the survey view, wherein an operator selects a region of interest by sizing and positioning the selection frame in the survey view.

12. (Original) The method according to claim 10, wherein the part of the scanned image representing the region of interest is converted to a different data format before being displayed.

13. (Original) The method according to claim 12, wherein the part of the scanned image representing the region of interest is compressed when converted to the different data format and decompressed before being displayed.

14. (Original) The method according to claim 13, wherein the part of the scanned image representing the region of interest is chosen to be larger than a size leading to compression artifacts.

15. (Original) The method according to claim 6, further comprising:

image-processing the stream of data before creation of the preview image.

16. (Original) The method according to claim 6, wherein the scanned image is checked for artifacts, and wherein information specifying the detected artifacts is provided with the preview image.

17. (Currently Amended) A method for selecting one of a plurality of master files comprising data encoding at least one scanned image, wherein the master file is created by scanning an original and thereby generating a stream of data, encoding a scanned image, and saving the scanned image in a master file, the method comprising:

providing at least part of a thumbnail file associated with one of the master files to an archive manager, said part of the thumbnail file including data encoding a preview image corresponding to the scanned image with a lower data size than the scanned image, whereby the archive manager can display the parts as survey previews to the user for selection,

wherein the data encoding the preview image is extracted ~~directly~~ from the stream of data on the fly and is written to a thumbnail file ~~in order to create~~, thereby creating the preview image.

18. (Previously Presented) The system according to claim 1, further comprising:

an inkjet printing device configured to print the preview image and/or the scanned image.

19. (New) The system according to claim 1, wherein the controller scales down the scanned image when the stream of data encoding the scanned image arrives at the controller, thereby extracting the data encoding the preview image from the stream of data.

20. (New) The method according to claim 6, wherein the step of extracting the data encoding the preview image from the stream of data on the fly includes scaling down the scanned image upon receiving the stream of data, thereby extracting the data encoding the preview image from the stream of data.

21. (New) The method according to claim 17, wherein the step of extracting the data encoding the preview image from the stream of data on the fly includes scaling down the scanned image upon receiving the stream of data, thereby extracting the data encoding the preview image from the stream of data.